


TECHNICAL DATA SHEET
ECO PRO LOCKERS
V, T, M, C, P, B, Z and L SERIES
by  **MEGABLOK**





ECO PRO SERIES
1 door per column



ECOT PRO SERIES
2 doors per column



ECOM PRO SERIES
3 doors per column



ECOC PRO SERIES
4 doors per column



ECOP PRO SERIES
5 doors per column



ECOB PRO SERIES
6 doors per column



ECOZ PRO SERIES
8 doors per column



ECOZ PRO SERIES
2 L-shaped doors per column



CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.6 mm.

Previous passivation and degreasing treatment with amorphous phosphating before painting.

Dried in a polymerization oven at 180°C during 15 minutes.

Painted with Epoxy-polyester-powder, through robotized cabins.

Initial and adds system.

Easy assembly with screws and screw nuts. Extendable as you need (screws and screw nuts included).

100% recyclable steel.

Side panels, tops, socles and separations

Painted in grey RAL 7035 Micro-textured paint finish. Minimum thickness of 50 micrometer.

Doors

Painted in blue RAL 5010 or grey RAL 7035, micro-textured finish.

Minimum thickness of 50 microns.

Doors with perimetric double folding.

Borders without cutting edges. Hidden hinges.

With name-card holder.

With ventilation rosettes at the models ECOV-ECOT-ECOM, ECOC, ECOP, ECOB and ECOZ.

Chromed standard cylinder locks with two keys per lock.

Door with longitudinal reinforcement in the ECOV and ECOT-40 models.

"L-shape" formed by two swing doors, a large one and a short one (ECOL series).

4 types of doors to choose from: metallic, melamine, HPL or methacrylate.

Backpanel, shelves and coat rod

Made of galvanized steel, quality DX51D according to the norm EN-10346.

Shelf and coat rod at the ECOV-Series.

Coat rod at the ECOT-Series.





COLOURS

RAL 9010	RAL 9001	RAL 1017	RAL 1021	RAL 2004	RAL 4010	RAL 3017	RAL 3000	RAL 3005	RAL 4005	RAL 6029
RAL 6034	RAL 5015	RAL 5023	RAL 5010	RAL 8025	RAL 7035	RAL 9006	RAL 7036	RAL 7016	RAL 9005	

LOCKS

Standard: Key lock	Padlockable Polyamide Lock (optional padlock)	Padlockable Metallic Lock 1 (optional combination padlock)	Padlockable Metallic Lock 2 (optional combination padlock)	Metal handle	Coin-operated Lock (coin-return)	Coin-operated Lock + Coin Collect Box (cash box, non coin-return)	Lock of 4 manual digits with emergency key	Electronic lock combination of 4 digits TELEC
Lock of proximity PROXI 2	Electronic lock combination of 4 digits TELOCK	Electronic lock combination of 4 digits SOLOCK	Electronic lock combination of 4 digits FYLOCK					












OPTIONS

Mailbox Slot	Slope Top	Upper small joined jockey	Decorative end panel	Adjustable PVC legs	Galvanized steel legs	Stainless Steel Front Base and End Base	Antibacterial paint	Mirror
Bracket of nylon	Elastic bracelet	Melamine doors	HPL doors	Methacrylate door				














COMBINATIONS AND DIMENSIONS

ECO PRO SERIES

 ECO-25/1 PRO COD: 47000 16,7kg · 0,22m ³	 ECO-25/2 PRO COD: 47001 27,9kg · 0,45m ³	 ECO-25/3 PRO COD: 47002 39,1kg · 0,67m ³	 ECO-25/4 PRO COD: 47003 50,3kg · 0,9m ³	 ECO-30/1 PRO COD: 47005 19kg · 0,27m ³	 ECO-30/2 PRO COD: 47006 30,2kg · 0,54m ³
 ECO-30/3 PRO COD: 47007 46kg · 0,81m ³	 ECO-30/4 PRO COD: 47008 59,5kg · 1,08m ³	 ECO-40/1 PRO COD: 47010 20,3kg · 0,36m ³	 ECO-40/2 PRO COD: 47011 35,1kg · 0,72m ³	 ECO-40/3 PRO COD: 47012 49,9kg · 1,08m ³	


ECOT PRO SERIES

 ECOT-25/1 PRO COD: 47024 18,4kg · 0,22m ³	 ECOT-25/2 PRO COD: 47025 31,3kg · 0,45m ³	 ECOT-25/3 PRO COD: 47026 44,2kg · 0,67m ³	 ECOT-25/4 PRO COD: 47027 57,1kg · 0,9m ³	 ECOT-30/1 PRO COD: 47029 19,1kg · 0,27m ³	 ECOT-30/2 PRO COD: 47030 33,2kg · 0,54m ³
 ECOT-30/3 PRO COD: 47031 47,3kg · 0,81m ³	 ECOT-30/4 PRO COD: 47032 61,4kg · 1,08m ³	 ECOT-40/1 PRO COD: 47034 23kg · 0,36m ³	 ECOT-40/2 PRO COD: 47035 41kg · 0,72m ³	 ECOT-40/3 PRO COD: 47036 59kg · 1,08m ³	




COMBINATIONS AND DIMENSIONS


ECOM PRO SERIES




ECOM-25/1 PRO
COD: 47041
19,9kg · 0,22m³




ECOM-25/2 PRO
COD: 47042
33,8kg · 0,45m³




ECOM-25/3 PRO
COD: 47043
47,7kg · 0,67m³




ECOM-25/4 PRO
COD: 47044
61,6kg · 0,9m³




ECOM-30/1 PRO
COD: 47046
21,2kg · 0,27m³




ECOM-30/2 PRO
COD: 47047
36,4kg · 0,54m³




ECOM-30/3 PRO
COD: 47048
51,6kg · 0,81m³




ECOM-30/4 PRO
COD: 47049
66,8kg · 1,08m³



ECOM-40/1 PRO
COD: 47051
24,2kg · 0,36m³




ECOM-40/2 PRO
COD: 47052
42,4kg · 0,72m³




ECOM-40/3 PRO
COD: 47053
60,6kg · 1,08m³


ECOC PRO SERIES




ECOC-25/1 PRO
COD: 47058
20,8kg · 0,22m³




ECOC-25/2 PRO
COD: 47059
35,6kg · 0,45m³




ECOC-25/3 PRO
COD: 47060
50,4kg · 0,67m³




ECOC-25/4 PRO
COD: 47061
65,2kg · 0,9m³




ECOC-30/1 PRO
COD: 47063
22,3kg · 0,27m³




ECOC-30/2 PRO
COD: 47064
38,6kg · 0,54m³




ECOC-30/3 PRO
COD: 47065
54,9kg · 0,81m³




ECOC-30/4 PRO
COD: 47066
71,2kg · 1,08m³



ECOC-40/1 PRO
COD: 47068
25,7kg · 0,36m³



ECOC-40/2 PRO
COD: 47069
45,4kg · 0,72m³




ECOC-40/3 PRO
COD: 47070
65,1kg · 1,08m³




COMBINATIONS AND DIMENSIONS

ECOP PRO SERIES




ECOP-25/1 PRO
COD: 47075
21,7kg · 0,22m³




ECOP-25/2 PRO
COD: 47076
38,4kg · 0,45m³




ECOP-25/3 PRO
COD: 47077
55,1kg · 0,67m³



ECOP-25/4 PRO
COD: 47078
71,8kg · 0,9m³




ECOP-30/1 PRO
COD: 47080
23,4kg · 0,27m³




ECOP-30/2 PRO
COD: 47081
40,9kg · 0,54m³




ECOP-30/3 PRO
COD: 47082
58,4kg · 0,81m³




ECOP-30/4 PRO
COD: 47083
75,9kg · 1,08m³



ECOP-40/1 PRO
COD: 47085
27,1kg · 0,36m³




ECOP-40/2 PRO
COD: 47086
48,3kg · 0,72m³




ECOP-40/3 PRO
COD: 47087
69,5kg · 1,08m³


ECOB PRO SERIES




ECOB-25/1 PRO
COD: 47092
22,6kg · 0,22m³




ECOB-25/2 PRO
COD: 47093
40,2kg · 0,45m³




ECOB-25/3 PRO
COD: 47094
57,8kg · 0,67m³




ECOB-25/4 PRO
COD: 47095
75,4kg · 0,9m³




ECOB-30/1 PRO
COD: 47097
24,5kg · 0,27m³




ECOB-30/2 PRO
COD: 47098
44kg · 0,54m³




ECOB-30/3 PRO
COD: 47099
63,5kg · 0,81m³




ECOB-30/4 PRO
COD: 47100
83kg · 1,08m³



ECOB-40/1 PRO
COD: 47102
28,1kg · 0,36m³



ECOB-40/2 PRO
COD: 47103
51,2kg · 0,72m³




ECOB-40/3 PRO
COD: 47104
74,3kg · 1,08m³




COMBINATIONS AND DIMENSIONS


ECOZ PRO SERIES




ECOZ-25/1 PRO
COD: 47109
24,4kg · 0,22m³




ECOZ-25/2 PRO
COD: 47110
43,8kg · 0,45m³




ECOZ-25/3 PRO
COD: 47111
63,2kg · 0,67m³




ECOZ-25/4 PRO
COD: 47112
82,6kg · 0,9m³




ECOZ-30/1 PRO
COD: 47114
26,7kg · 0,27m³




ECOZ-30/2 PRO
COD: 47115
48,4kg · 0,54m³




ECOZ-30/3 PRO
COD: 47116
70,1kg · 0,81m³




ECOZ-30/4 PRO
COD: 47117
91,8kg · 1,08m³



ECOZ-40/1 PRO
COD: 47119
30,9kg · 0,36m³




ECOZ-40/2 PRO
COD: 47120
56,8kg · 0,72m³




ECOZ-40/3 PRO
COD: 47121
82,7kg · 1,08m³


ECOL PRO SERIES




ECOL-30/1 PRO
COD: 35301
24,4kg · 0,27m³




ECOL-30/2 PRO
COD: 35302
42,9kg · 0,54m³




ECOL-30/3 PRO
COD: 35303
61,3kg · 0,81m³




ECOL-30/4 PRO
COD: 35304
79,8kg · 1,08m³



ECOL-40/1 PRO
COD: 35401
28,1kg · 0,36m³



ECOL-40/2 PRO
COD: 35402
50,2kg · 0,72m³



ECOL-40/3 PRO
COD: 35403
72,3kg · 1,08m³

For further information, please, do not hesitate to contact us by phone +34 976 50 54 88, or to have a look at our homepage: www.megablok.com



COMBINATIONS AND DIMENSIONS

INTERIOR MEASUREMENTS (mm)

MODEL	250			300			400		
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
ECOV	1.724	183	451	1.724	233	451	1.724	333	451
ECOT	847	183	451	847	233	451	847	333	451
ECOM	554	183	451	554	233	451	554	333	451
ECOC	408	183	451	408	233	451	408	333	451
ECOP	320	183	451	320	233	451	320	333	451
ECOB	262	183	451	262	233	451	262	333	451
ECOZ	189	183	451	189	233	451	189	333	451
ECOL	-	-	-	1.158/ 263	110/ 234	451	1.158/ 263	159/ 334	451

PACKAGING IN KIT

The lockers are individually packaged in a cardboard pack, using recycled and recyclable strapping for packaging. The initial pack contains assembly instructions.
The dimensions of the pack are: 1850 mm high x 530 mm long x 65 mm thick depending on the model.

