

TECHNICAL DATA SHEET
UPPER SMALL JOINED LOCKER



CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.6 mm.

Previous passivation and degreasing treatment with amorphous phosphating before painting.

Dried in a polymerization oven at 180°C during 15 minutes.

Painted with Epoxy-polyester-powder, through robotized cabins.

100% recyclable steel.

350 mm height.

Body

Painted in grey RAL 7035 Micro-textured paint finish. Minimum thickness of 50 micrometer.

Metal doors

Painted in blue RAL 5010 or grey RAL 7035, micro-textured finish.

Minimum thickness of 50 microns.

Doors with perimetric double folding.

Borders without cutting edges. Hidden hinges.

With name-card holder.

With ventilation rosettes.

Chromed standard cylinder locks with two keys per lock.

Cleaning

It can be easily cleaned with neutral, non-aggressive cleaning agents such as glass cleaners, all-purpose cleaners, etc., using a soft cloth. Steel wool or similar products are not recommended, as they may scratch the surface and create corrosion pitting. Do not use materials containing chlorides, as they are contraindicated as they cause rust. Hydrochloric acid or iron products in prolonged contact are also not recommended.

VERY IMPORTANT: After using the product, it must be thoroughly dried (with a soft cloth) as moisture will cause corrosion on the metal lockers.

Compatible with

ECO PRO lockers.

Monoblok lockers.

Monoblok-E lockers.

Multidoor lockers.

Laundry bulk collector.

Cleaning material locker.

METALLIC COLOURS

STANDARD COLOURS



RAL 5010
Gencana blue
Código HEX: #004f7c



RAL 7035
Luminous grey
Código HEX: #c5c7c4

GROUP 1




RAL 9010
Pure white
Código HEX: #f1ece1




RAL 3000
Red
Código HEX: #a72920



RAL 6034
Pastel turquoise
Código HEX: #7aacac




RAL 7016
Anthracite grey
Código HEX: #383e42



RAL 9005
Intense black
Código HEX: #0e0e10

GROUP 2



RAL 9001
Cream white
Código HEX: #e9e0d2



RAL 1017
Saffron yellow
Código HEX: #f6a950




RAL 1021
Rapeseed yellow
Código HEX: #f6b600



RAL 2004
Pure orange
Código HEX: #e25303



RAL 3017
Pink
Código HEX: #cb555d



RAL 3005
Wine red
Código HEX: #59191f



RAL 4005
Lilac
Código HEX: #76689a



RAL 6029
Mint green
Código HEX: #006f3d



RAL 5015
Sky blue
Código HEX: #007cb0



RAL 5023
Distant blue
Código HEX: #42698c



RAL 9006
White aluminium
Código HEX: #a1a1a0




RAL 7036
Platinum grey
Código HEX: #979392


LOCKS



Key lock
For metal doors




Latch bolt
For melamine doors
For HPL doors
For methacrylate doors




Padlockable Polyamide Lock
For metal doors



Padlockable Metallic Lock 1
For metal doors



Padlockable Metallic Lock 2
For metal doors
For melamine doors
For HPL doors
For methacrylate doors



Metal handle
For metal doors
For melamine doors
For HPL doors
For methacrylate doors




Coin-operated Lock (coin-return)
For metal doors
For melamine doors
For HPL doors
For methacrylate doors




Coin-operated Lock + Coin Collect Box
For metal doors
For melamine doors
For HPL doors
For methacrylate doors



Lock of 4 manual digits with emergency key
For metal doors
For melamine doors
For HPL doors
For methacrylate doors



TELEC
Electronic lock combination
For metal doors
For melamine doors
For HPL doors
For methacrylate doors



PROXI
Electronic lock of proximity
For metal doors
For melamine doors
For HPL doors
For methacrylate doors



TELOCK
Electronic lock combination
For metal doors
For melamine doors
For HPL doors
For methacrylate doors



SOLOCK
Electronic lock combination
For metal doors
For melamine doors
For HPL doors
For methacrylate doors